

Drehklappenschneepflug 200 cm, Typ DKS 2000/750

KIF für MIC 84





Funktionen/ Vorteile

- Einsetzbar bei Schneehöhen bis zu 0,50m
- Hydraulisch schwenkbar nach links und rechts
- Überlastschutz durch Drehgelenkklappen mit 2 Elementen
- Alle Arten von Schürfleisten möglich z.B. FK-Korund oder Stahlschürfleiste
- Sicherheitsbeleuchtung und Warnflaggen optional

Technische Daten

■ Gewicht: 280kg

■ Einseitige Pflugstellung: 1,80m

■ Gesamtbreite: 2,00m

■ Höhe: 750 mm

■ Farbe: RAL 2011/7012

■ 3-Punkt Aufnahme KAT2



Swivel Flap Snow Plough 200 cm, Type DKS 2000/750

KIF for MIC 84





Advantages / Benefits

- Snow heights up to 0.50m
- Can be swivelled hydraulically to the left and right
- Overload protection: Swivel flaps with two elements
- All types of protective bar possible e.g. FK-Korung protective bar or steel bar
- Safety lighting and warning flags (option)

Specifications

■ Weight: 280kg

Plough position to one side:

1,80m

■ Total width: 2,00m

■ Height: 750 mm

■ Colour: RAL 2011/7012

■ 3-Point interface CAT 2